

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	34631	select\$3 near3 processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 13:45
L2	1612356	load	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 13:45
L3	2983111	flow	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 13:46
L4	5	1 with 2 with 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 14:03
L5	2	"6466976".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 14:25
L6	4	"6700889".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 15:01
L7	5	"2003011028".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 15:02
L8	534	packet near3 classifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 14:26
L9	669911	(flow near3 direction) upstream downstream	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 15:05
L10	13362	processor near3 load	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 14:27
L11	10	8 SAME 9 SAME 10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 15:04
L12	272	classifier with (upstream downstream)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 15:07

L13	783773	(flow near3 direction) upstream downstream	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 15:05
L14	51	8 same 13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 15:06
L15	10	14 same 10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 15:05
L16	51	8 same 13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 15:06
L17	0	classifier with (upsteram and downstream)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 15:08
L18	0	classifier with upsteram with downstream	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 15:07
L19	453	classifier with 13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 15:09
L20	310	19 and (@ad<"20000629" @rlad<"20000629")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 15:12
L21	1	19 and 10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 15:09
L22	21	(dual bi bidirectional) near3 classifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 15:13
S1	316	packet near3 classifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/03 16:45
S2	3464959	(load weight)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/03 16:36
S3	83011	process\$3 near3 ((load weight) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/03 16:37

S4	0	(packet near3 classifier) with (process\$3 near3 ((load weight) ))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/03 16:37
S5	3	(packet near3 classifier) same (process\$3 near3 ((load weight) ))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/03 16:37
S6	13	(packet near3 classifier) with ((load weight) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/03 16:41
S7	341430	(load weight) near3 bas\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/03 16:43
S8	25447	((selct\$3 choos\$3 chos\$2) near3 (CPU process\$3 computer node terminal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/03 16:43
S9	0	(packet near3 classifier) same (((load weight) near3 bas\$2) with (((selct\$3 choos\$3) near3 (CPU process\$3 computer node terminal))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/03 16:44
S10	0	(packet near3 classifier) and (((load weight) near3 bas\$2) with (((selct\$3 choos\$3) near3 (CPU process\$3 computer node terminal))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/03 16:44
S11	11	((load weight) near3 bas\$2) with (((selct\$3 choos\$3) near3 (CPU process\$3 computer node terminal)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/03 16:44
S12	197105	classif\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/03 16:45
S13	335	(process\$3 near3 ((load weight) )) same classif\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/03 16:47
S14	258	((process\$3 near3 ((load weight) )) same classif\$3) and (@ad<"20000629" @rlad<"20000629")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/19 16:13
S15	7	((process\$3 near3 ((load weight) )) same classif\$3) same packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/03 16:47
S16	151	classifier near10 load	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/03 16:49

S17	107	(classifier near10 load) and (@ad<"20000629" @riad<"20000629")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 05:15
S18	26	((classifier near10 load) and (@ad<"20000629" @riad<"20000629")) and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/25 12:30
S19	41	(classifier near10 load) and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/03 16:56
S20	41	((((classifier near10 load) and (@ad<"20000629" @riad<"20000629")) and network) ((classifier near10 load) and network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 13:04
S21	472	((process\$3 near3 ((load weight) )) same classif\$3) (classifier near10 load)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/03 16:58
S22	40	((((process\$3 near3 ((load weight) )) same classif\$3) (classifier near10 load)) same network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/03 16:58
S23	27	(((((process\$3 near3 ((load weight) )) same classif\$3) (classifier near10 load)) same network) and (@ad<"20000629" @riad<"20000629")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/03 16:58
S24	1767	packet adj processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 09:35
S25	709679	balanc\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 09:28
S26	37	(packet adj processor) same balanc\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 09:28
S27	29619	select\$3 near3 processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 10:11
S28	16383	classifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 10:11
S29	20	(select\$3 near3 processor) same classifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 10:35

S30	18	((select\$3 near3 processor) same classifier) and (@ad<"20000629" @rlad<"20000629")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 10:46
S31	3077	load adj balance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 10:45
S32	2	(packet adj processor) same (load adj balance)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 10:45
S33	1	((packet adj processor) same (load adj balance)) and (@ad<"20000629" @rlad<"20000629")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 10:46
S34	2322	balanc\$3 near5 processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 10:46
S35	36	(balanc\$3 near5 processor) near5 packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 10:46
S36	15	((balanc\$3 near5 processor) near5 packet) and (@ad<"20000629" @rlad<"20000629")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 10:52
S37	17861	protocol near3 process\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 13:02
S38	1983	(protocol near3 process\$3) and classif\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 13:03
S39	158	(protocol near3 process\$3) same classif\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 13:03
S40	27	((protocol near3 process\$3) same classif\$5) same (select\$3 choos\$3 balanc\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 13:38
S41	12	((((protocol near3 process\$3) same classif\$5) same (select\$3 choos\$3 balanc\$3)) and (@ad<"20000629" @rlad<"20000629")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 13:40
S42	206956	select\$3 near3 (classif\$3 process\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 13:37

S43	83495	(classifier process\$3) near3 (weight load)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 13:39
S44	1823	(select\$3 near3 (classif\$3 process\$3)) with packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 13:40
S45	61	((classifier process\$3) near3 (weight load)) same ((select\$3 near3 (classif\$3 process\$3)) with packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 13:40
S46	30	((((classifier process\$3) near3 (weight load)) same ((select\$3 near3 (classif\$3 process\$3)) with packet)) and (@ad<"20000629" @riad<"20000629"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 14:09
S47	223710	select\$3 near3 (process\$3 interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 14:06
S48	201329	interrupt	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 14:07
S49	2186	(select\$3 near3 (process\$3 interface)) same interrupt	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 14:06
S50	1115	(select\$3 near3 (process\$3 interface)) with interrupt	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 14:08
S51	30951	interrupt\$3 near3 (transmit\$3 send\$3 receiv\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 14:08
S52	369	(select\$3 near3 (process\$3 interface)) same (interrupt\$3 near3 (transmit\$3 send\$3 receiv\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 14:09
S53	310	((select\$3 near3 (process\$3 interface)) same (interrupt\$3 near3 (transmit\$3 send\$3 receiv\$3))) and (@ad<"20000127" @riad<"20000127")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 14:28
S54	268	packet adj3 classifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 14:12
S55	12	(packet adj3 classifier) and cisco.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 14:22

S56	7555	(transmit\$ send\$) near2 interrupt	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 14:22
S57	11593	(receiv\$3) near2 interrupt	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 14:22
S58	7553	(transmit\$ send\$3) near2 interrupt	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 14:24
S59	26373	select\$3 near3 interface	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 14:23
S60	11	((receiv\$3) near2 interrupt) same (select\$3 near3 interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 14:23
S61	1	((((transmit\$ send\$3) near2 interrupt) same (select\$3 near3 interface)) and (((receiv\$3) near2 interrupt) same (select\$3 near3 interface)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 14:24
S62	362713	(transmit\$ send\$3) near2 (data packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 14:25
S63	387617	(receiv\$3) near2 (data packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 14:25
S64	1	((((transmit\$ send\$3) near2 interrupt) same (select\$3 near3 interface)) same (((receiv\$3) near2 interrupt) same (select\$3 near3 interface)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 14:25
S65	11	((transmit\$ send\$3) near2 interrupt) same (select\$3 near3 interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 14:26
S66	135110	((transmit\$ send\$3) near2 (data packet)) same ((receiv\$3) near2 (data packet))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 14:27
S67	106540	((transmit\$ send\$3) near2 (data packet)) with ((receiv\$3) near2 (data packet))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 14:27
S68	1414	(select\$3 near3 interface) same ((receiv\$3) near2 (data packet))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 14:27

S69	1133	(select\$3 near3 interface) same ((transmit\$ send\$3) near2 (data packet))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 14:27
S70	403	((select\$3 near3 interface) same ((receiv\$3) near2 (data packet))) same ((select\$3 near3 interface) same ((transmit\$ send\$3) near2 (data packet)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 14:28
S71	36	((select\$3 near3 interface) same ((receiv\$3) near2 (data packet))) same ((select\$3 near3 interface) same ((transmit\$ send\$3) near2 (data packet))) same (pool ((imultiple plurality) near3 interfaces))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 14:28
S72	24	((select\$3 near3 interface) same ((receiv\$3) near2 (data packet))) same ((select\$3 near3 interface) same ((transmit\$ send\$3) near2 (data packet))) same (pool ((imultiple plurality) near3 interfaces)) and (@ad<"20000127" @rlad<"20000127")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/10 14:29
S73	221	packet near classifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/25 09:14
S74	1522	processor near3 balanc\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/25 09:22
S75	14603	process\$3 near3 balanc\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/25 09:11
S76	1	(packet near classifier) with (process\$3 near3 balanc\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/25 09:10
S77	2	(packet near classifier) same (process\$3 near3 balanc\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/25 09:10
S78	10	(packet near classifier) and (process\$3 near3 balanc\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/25 09:10
S79	22327	load near3 balanc\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/25 09:11
S80	4	(packet near classifier) with (load near3 balanc\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/25 09:12
S81	0	classifier with balkanc\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/25 09:12



S82	116	classifier with balanc\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/25 09:13
S83	81	(classifier with balanc\$3) and (@ad<"20000629" @riad<"20000629")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/25 09:23
S84	19079	(protocol packet data) near3 classif\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/25 09:15
S85	2	(processor near3 balanc\$3) with ((protocol packet data) near3 classif\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/25 09:15
S86	220563	(protocol packet data) near3 (classif\$7 categori\$6 group\$3 sort\$3 collat\$3 gather\$3 collect\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/25 09:37
S87	35183	(load process\$3) near3 balanc\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/25 09:37
S88	157	((protocol packet data) near3 (classif\$7 categori\$6 group\$3 sort\$3 collat\$3 gather\$3 collect\$3)) with ((load process\$3) near3 balanc\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/25 09:39
S89	40299	(protocol packet data) near3 (filter\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/25 09:39
S90	47	((load process\$3 node terminal) near3 balanc\$3) with ((protocol packet data) near3 (filter\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/25 09:40
S91	162	((load process\$3 node terminal) near3 balanc\$3) with ((protocol packet data) near3 (classif\$7 categori\$6 group\$3 sort\$3 collat\$3 gather\$3 collect\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/25 09:41
S92	204	((((protocol packet data) near3 (classif\$7 categori\$6 group\$3 sort\$3 collat\$3 gather\$3 collect\$3)) with ((load process\$3) near3 balanc\$3)) (((load process\$3 node terminal) near3 balanc\$3) with ((protocol packet data) near3 (filter\$3))) (((load process\$3 node terminal) near3 balanc\$3) with ((protocol packet data) near3 (classif\$7 categori\$6 group\$3 sort\$3 collat\$3 gather\$3 collect\$3))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/25 09:41

S93	180	((classifier with balanc\$3) and (@ad<"20000629" @riad<"20000629")) (((protocol packet data) near3 (classif\$7 categori\$6 group\$3 sort\$3 collat\$3 gather\$3 collect\$3)) with ((load process\$3) near3 balanc\$3)) and (@ad<"20000629" @riad<"20000629")) (((protocol packet data) near3 (classif\$7 categori\$6 group\$3 sort\$3 collat\$3 gather\$3 collect\$3)) with ((load process\$3) near3 balanc\$3)) (((load process\$3 node terminal) near3 balanc\$3) with ((protocol packet data) near3 (filter\$3))) (((load process\$3 node terminal) near3 balanc\$3) with ((protocol packet data) near3 (classif\$7 categori\$6 group\$3 sort\$3 collat\$3 gather\$3 collect\$3)))) and (@ad<"20000629" @riad<"20000629"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/25 09:43
S94	112	((classifier with balanc\$3) and (@ad<"20000629" @riad<"20000629")) (((protocol packet data) near3 (classif\$7 categori\$6 group\$3 sort\$3 collat\$3 gather\$3 collect\$3)) with ((load process\$3) near3 balanc\$3)) and (@ad<"20000629" @riad<"20000629")) (((protocol packet data) near3 (classif\$7 categori\$6 group\$3 sort\$3 collat\$3 gather\$3 collect\$3)) with ((load process\$3) near3 balanc\$3)) (((load process\$3 node terminal) near3 balanc\$3) with ((protocol packet data) near3 (filter\$3))) (((load process\$3 node terminal) near3 balanc\$3) with ((protocol packet data) near3 (classif\$7 categori\$6 group\$3 sort\$3 collat\$3 gather\$3 collect\$3)))) and (@ad<"20000629" @riad<"20000629")) and (computer network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/25 09:43
S95	39	((classifier with balanc\$3) and (@ad<"20000629" @riad<"20000629")) (((protocol packet data) near3 (classif\$7 categori\$6 group\$3 sort\$3 collat\$3 gather\$3 collect\$3)) with ((load process\$3) near3 balanc\$3)) and (@ad<"20000629" @riad<"20000629")) (((protocol packet data) near3 (classif\$7 categori\$6 group\$3 sort\$3 collat\$3 gather\$3 collect\$3)) with ((load process\$3) near3 balanc\$3)) (((load process\$3 node terminal) near3 balanc\$3) with ((protocol packet data) near3 (filter\$3))) (((load process\$3 node terminal) near3 balanc\$3) with ((protocol packet data) near3 (classif\$7 categori\$6 group\$3 sort\$3 collat\$3 gather\$3 collect\$3)))) and (@ad<"20000629" @riad<"20000629")) and (computer near3 network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/25 09:44
S96	312	(classifier with balanc\$3) (((protocol packet data) near3 (classif\$7 categori\$6 group\$3 sort\$3 collat\$3 gather\$3 collect\$3)) with ((load process\$3) near3 balanc\$3)) (((load process\$3 node terminal) near3 balanc\$3) with ((protocol packet data) near3 (filter\$3))) (((load process\$3 node terminal) near3 balanc\$3) with ((protocol packet data) near3 (classif\$7 categori\$6 group\$3 sort\$3 collat\$3 gather\$3 collect\$3))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/25 09:44
S97	107	((classifier with balanc\$3) (((protocol packet data) near3 (classif\$7 categori\$6 group\$3 sort\$3 collat\$3 gather\$3 collect\$3)) with ((load process\$3) near3 balanc\$3)) (((load process\$3 node terminal) near3 balanc\$3) with ((protocol packet data) near3 (filter\$3))) (((load process\$3 node terminal) near3 balanc\$3) with ((protocol packet data) near3 (classif\$7 categori\$6 group\$3 sort\$3 collat\$3 gather\$3 collect\$3)))) same (computer network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/25 09:44
S98	53	((classifier with balanc\$3) (((protocol packet data) near3 (classif\$7 categori\$6 group\$3 sort\$3 collat\$3 gather\$3 collect\$3)) with ((load process\$3) near3 balanc\$3)) (((load process\$3 node terminal) near3 balanc\$3) with ((protocol packet data) near3 (filter\$3))) (((load process\$3 node terminal) near3 balanc\$3) with ((protocol packet data) near3 (classif\$7 categori\$6 group\$3 sort\$3 collat\$3 gather\$3 collect\$3)))) same (computer network)) and (@ad<"20000629" @riad<"20000629"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/25 11:30
S99	22327	load near3 balanc\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/25 12:25

S10 0	74862	((data label specification) near3 flow)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/25 12:26
S10 1	547539	(select\$3 determin\$3 assign\$3 designat\$3) near3 (terminal computer workstation work adj station processor node device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/25 12:28
S10 2	383	(load near3 balanc\$3) with ((select\$3 determin\$3 assign\$3 designat\$3) near3 (terminal computer workstation work adj station processor node device))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/25 12:28
S10 3	3	((load near3 balanc\$3) with ((select\$3 determin\$3 assign\$3 designat\$3) near3 (terminal computer workstation work adj station processor node device))) same (((data label specification) near3 flow))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/25 12:29
S10 4	83	((load near3 balanc\$3) with ((select\$3 determin\$3 assign\$3 designat\$3) near3 (terminal computer workstation work adj station processor node device))) and (((data label specification) near3 flow))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/25 12:29
S10 5	49	((load near3 balanc\$3) with ((select\$3 determin\$3 assign\$3 designat\$3) near3 (terminal computer workstation work adj station processor node device))) and (((data label specification) near3 flow))) and (classif\$7 filter\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/25 12:30
S10 6	21	((load near3 balanc\$3) with ((select\$3 determin\$3 assign\$3 designat\$3) near3 (terminal computer workstation work adj station processor node device))) and (((data label specification) near3 flow))) and (classif\$7 filter\$3)) and (@ad<"20000629" @rlad<"20000629")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/25 13:24
S10 7	78	bunjob.xa.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/25 13:24
S10 8	1	bunjob.xa. and sony.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/25 13:24
S10 9	4738	(filter\$3 classify\$3) near3 packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 08:37
S11 0	1016	((filter\$3 classify\$3) near3 packet) with address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 08:37
S11 1	68	((filter\$3 classify\$3) near3 packet) with address) same ((processing assembl\$3) near3 (fragment segment packet))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 08:41
S11 2	39	((filter\$3 classify\$3) near3 packet) with address) same ((processing assembl\$3) near3 (fragment segment packet)) ) and (@ad<"20000629" @rlad<"20000629")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 09:43

S11 3	8	(((((filter\$3 classify\$3) near3 packet) with address) same ((processing assembl\$3) near3 (fragment segment packet)) ) same (select\$3 allocat\$3 designat\$3 assign\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 08:48
S11 4	5	(((((filter\$3 classify\$3) near3 packet) with address) same ((processing assembl\$3) near3 (fragment segment packet)) ) same (select\$3 allocat\$3 designat\$3 assign\$3)) and (@ad<"20000629" @rlad<"20000629")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 09:22
S11 5	1669	packet near3 assembly	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 08:48
S11 6	4738	((filter\$3 classify\$3) near3 packet) same11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 08:48
S11 7	1174231	(select\$3 allocat\$3 designat\$3 assign\$3 choos\$3 specify\$3 allot\$3 appoint\$3 delegat\$3) with (processor processing node terminal device router switch gateway station computer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 09:49
S11 8	538	((filter\$3 classify\$3) near3 packet) same11) same ((select\$3 allocat\$3 designat\$3 assign\$3 choos\$3 specify\$3 allot\$3 appoint\$3 delegat\$3) with (processor processing node terminal device router switch gateway station computer) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 09:21
S11 9	9	(((((filter\$3 classify\$3) near3 packet) same11) same ((select\$3 allocat\$3 designat\$3 assign\$3 choos\$3 specify\$3 allot\$3 appoint\$3 delegat\$3) with (processor processing node terminal device router switch gateway station computer) )) same balanc\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 09:22
S12 0	5	(((((filter\$3 classify\$3) near3 packet) with address) same ((processing assembl\$3) near3 (fragment segment packet)) ) same (select\$3 allocat\$3 designat\$3 assign\$3)) and (@ad<"20000629" @rlad<"20000629")) and (@ad<"20000629" @rlad<"20000629")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 09:23
S12 1	3	(((((filter\$3 classify\$3) near3 packet) same11) same ((select\$3 allocat\$3 designat\$3 assign\$3 choos\$3 specify\$3 allot\$3 appoint\$3 delegat\$3) with (processor processing node terminal device router switch gateway station computer) )) same balanc\$3) and (@ad<"20000629" @rlad<"20000629")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 09:52
S12 2	37	(packet near processor) with balanc\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 09:44
S12 3	2	((filter\$3 classify\$3) near3 packet) same ((packet near processor) with balanc\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 09:43
S12 4	4791	(processor) with balanc\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 09:44
S12 5	120	((process\$3 assembly) near3 (packet segment fragment)) with (balanc\$3 near2 load)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 09:45

S12 6	29998	(select\$3 allocat\$3 designat\$3 assign\$3 choos\$3 specify\$3 allot\$3 appoint\$3 delegat\$3) with ((processor processing node terminal device router switch gateway station computer) near3 (load flow rate idle))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 09:50
S12 7	25559	(assembly process\$3) near3 packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 09:51
S12 8	240	((select\$3 allocat\$3 designat\$3 assign\$3 choos\$3 specify\$3 allot\$3 appoint\$3 delegat\$3) with ((processor processing node terminal device router switch gateway station computer) near3 (load flow rate idle))) same ((assembly process\$3) near3 packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 09:51
S12 9	55	((select\$3 allocat\$3 designat\$3 assign\$3 choos\$3 specify\$3 allot\$3 appoint\$3 delegat\$3) with ((processor processing node terminal device router switch gateway station computer) near3 (load flow rate idle))) same ((assembly process\$3) near3 packet)) and (load near3 balanc\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 09:51
S13 0	26	((select\$3 allocat\$3 designat\$3 assign\$3 choos\$3 specify\$3 allot\$3 appoint\$3 delegat\$3) with ((processor processing node terminal device router switch gateway station computer) near3 (load flow rate idle))) same ((assembly process\$3) near3 packet)) and (load near3 balanc\$3)) and (@ad<"20000629" @rlad<"20000629")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 10:06
S13 1	22485	load near3 balanc\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 10:05
S13 2	7925	(flow near3 classif\$7) FEC	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 10:06
S13 3	6	(load near3 balanc\$3) same ((flow near3 classif\$7) FEC)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 10:07
S13 4	1	((load near3 balanc\$3) same ((flow near3 classif\$7) FEC)) and (@ad<"20000629" @rlad<"20000629")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 10:07
S13 5	3509	(flow near3 (class classification categoriz\$3 classify\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 10:07
S13 6	11	((flow near3 (class classification categoriz\$3 classify\$3))) same (load near3 balanc\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 10:07
S13 7	1	((flow near3 (class classification categoriz\$3 classify\$3))) same (load near3 balanc\$3)) and (@ad<"20000629" @rlad<"20000629")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/09 10:07

S15 7	2	"6466976".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 17:00
S15 8	975	(prioritiz\$3 categoriz\$3 classify\$3) adj packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/19 16:12
S15 9	194	S158 with flow	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 05:13
S16 0	0	S158 with (regardless near3 (direction flow))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 05:14
S16 1	201	S158 with (direction flow)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 05:15
S16 2	58	S161 and (@ad<"20000629" @rlad<"20000629")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 05:16
S16 3	80	S161 same process\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 05:15
S16 4	17	S163 and (@ad<"20000629" @rlad<"20000629")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 05:26
S16 5	592	(select\$3 designat\$3 assign\$3) near3 (packet near3 (processor classifier prioritizer))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/19 16:13
S16 6	1	S158 same S165	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 05:26
S16 7	0	S166 and (@ad<"20000629" @rlad<"20000629")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 05:26
S16 8	2	"20010039203".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 06:35
S16 9	0	S168 and profile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 06:35

S17 0	10	"6394453".pn. "5879007".pn. "20040249866".pn. "6643696".pn. "5727950".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 06:37
S17 1	5	S170 and profile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 06:37
S17 2	976	(prioritiz\$3 categoriz\$3 classify\$3) adj packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/19 16:18
S17 3	593	(select\$3 designat\$3 assign\$3) near3 (packet near3 (processor classifier prioritizer))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/19 16:13
S17 4	51	S172 and S173	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/19 16:13
S17 5	21	S174 and (@ad<"20000629" @rlad<"20000629")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/19 16:25
S17 6	0	S172 same (flow near direction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/19 16:18
S17 7	0	S173 same (flow near direction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/19 16:19
S17 8	2	S173 same (direction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/19 16:19
S17 9	32	S172 same (direction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/19 16:19
S18 0	4	S179 and (@ad<"20000629" @rlad<"20000629")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/19 16:25